

# Checklist of the Microlepidoptera recorded in Devon

S D Beavan and R J Heckford, 18 March 2020 (last updated 7 March 2021)

Copyright statement: No part of this publication may be reproduced in any form or for any reason without prior approval, in writing, from the authors.

## Key

An italicised specific name denotes a junior synonym

● Recorded since 1960

○ Recorded prior to 1961

x Not recorded

\* The record cannot be attributed to either VC or requires confirmation.

ABH: Agassiz, D. J. L., Beavan, S. D. & Heckford, R. J. 2013. *A checklist of the Lepidoptera of the British Isles*.

## Helpful hint

To quickly find an entry, try searching this document by pressing CTRL+F and typing a species or name in the search box.

ABH code	Genus	Species	VC3	VC4
<b>MICROPTERIGIDAE</b>				
1.001	Micropterix	tunbergella (Fabricius, 1787)	●	●
1.002	Micropterix	mansuetella (Zeller, 1844)	●	●
1.003	Micropterix	aureatella (Scopoli, 1763)	●	●
1.004	Micropterix	aruncella (Scopoli, 1763)	●	●
<b>ERIOCRANIIDAE</b>				
1.005	Micropterix	calthella (Linnaeus, 1761)	●	●
2.001	Dyseriocrania	subpurpurella (Haworth, 1828)	●	●
2.002	Paracrania	chrysolepidella Zeller, 1851	●	x
2.003	Eriocrania	unimaculella (Zetterstedt, 1839)	●	●
2.004	Eriocrania	sparrmannella (Bosc, 1791)	●	○
2.005	Eriocrania	salopiella (Stainton, 1854)	●	●
2.006	Eriocrania	cicatricella (Zetterstedt, 1839)	●	○
		<i>purpurella</i> (Haworth, 1828)		
		<i>haworthi</i> Bradley, 1966		
2.007	Eriocrania	semipurpurella (Stephens, 1835)	●	○
2.008	Eriocrania	sangii (Wood, 1891)	●	○
<b>NEPTICULIDAE</b>				
4.001	Enteucha	acetosae (Stainton, 1854)	●	●
4.002	Stigmella	lapponica (Wocke, 1862)	●	●
4.003	Stigmella	confusella (Wood, 1894)	●	●
4.004	Stigmella	tiliae (Frey, 1856)	●	x
4.005	Stigmella	betulicola (Stainton, 1856)	●	●
		<i>nanivora</i> (Peterson, 1930)		
4.006	Stigmella	sakhalinella Puplesis, 1984	●	●
		<i>distinguenda</i> auctorum		
4.007	Stigmella	luteella (Stainton, 1857)	●	●
4.008	Stigmella	glutinosae (Stainton, 1858)	●	●
4.008		<i>distinguenda</i> (Heinemann, 1862)		

4.009	Stigmella	alnetella (Stainton, 1856)	•	•
4.010	Stigmella	microtheriella (Stainton, 1854)	•	•
4.011	Stigmella	prunetorum (Stainton, 1855)	•	•
4.013	Stigmella	malella (Stainton, 1854)	•	x
4.015	Stigmella	anomalella (Goeze, 1783)	•	•
4.017	Stigmella	centifoliella (Zeller, 1848)	•	x
4.018	Stigmella	ulmivora (Fologne, 1860)	•	•
		<i>ulmiphaga</i> auctorum		
4.019	Stigmella	viscerella (Stainton, 1853)	•	•
4.020	Stigmella	paradoxa (Frey, 1858)	•	•
4.022	Stigmella	regiella (Herrich-Schäffer, 1855)	•	•
4.023	Stigmella	crataegella (Klimesch, 1936)	•	•
4.024	Stigmella	magdalенаe (Klimesch, 1950)	•	•
		<i>nylandriella</i> auctorum		
4.025	Stigmella	nylandriella (Tengström, 1848)	•	•
		<i>aucupariae</i> (Frey, 1857)		
4.026	Stigmella	oxyacanthella (Stainton, 1854)	•	•
4.027	Stigmella	pyri (Glitz, 1865)	•	x
4.028	Stigmella	minusculella (Herrich-Schäffer, 1855)	•	x
4.030	Stigmella	hybnerella (Hübner, 1796)	•	•
		<i>ignobilella</i> (Stainton, 1849)		
4.032	Stigmella	floslactella (Haworth, 1828)	•	•
4.034	Stigmella	tityrella (Stainton, 1854)	•	•
4.035	Stigmella	salicis (Stainton, 1854)	•	•
		<i>auritella</i> (Skåla, 1939)		
4.036	Stigmella	myrtillella (Stainton, 1857)	•	•
4.038	Stigmella	obliquella (Heinemann, 1862)	•	o
4.039	Stigmella	trimaculella (Haworth, 1828)	•	•
4.040	Stigmella	assimilella (Zeller, 1848)	x	•
4.041	Stigmella	sorbi (Stainton, 1861)	•	o
4.042	Stigmella	plagicoella (Stainton, 1854)	•	•
4.043	Stigmella	lemniscella (Zeller, 1839)	•	•
		<i>marginicolella</i> (Stainton, 1853)		
4.044	Stigmella	continuella (Stainton, 1856)	•	•
4.045	Stigmella	aurella (Fabricius, 1775)	•	•
		<i>nitens</i> Fologne, 1862		
		<i>fragariella</i> (Heinemann, 1862)		
		<i>gei</i> Wocke, 1871		
4.046	Stigmella	auromarginella (Richardson, 1890)	•	x
4.047	Stigmella	splendidissimella (Herrich-Schäffer, 1855)	•	•
		<i>dulcella</i> Heinemann, 1862		
4.051	Stigmella	poterii (Stainton, 1857)	•	•
		<i>tengstroemi</i> Nolcken, 1871		
		<i>serella</i> Stainton, 1866		
4.052	Stigmella	filipendulae (Wocke, 1871)	•	•
		<i>ulmariae</i> (Wocke, 1879)		
4.053	Stigmella	incognitella (Herrich-Schäffer, 1855)	•	•
		<i>pomella</i> (Vaughan, 1858)		
4.054	Stigmella	perpygmaeella (Doubleday, 1859)	•	•
		<i>pygmaeella</i> (Haworth, 1828)		
4.055	Stigmella	hemargyrella (Kollar, 1832)	•	•
4.056	Stigmella	speciosa (Frey, 1858)	•	•
4.057	Stigmella	suberivora (Stainton, 1869)	•	x
4.058	Stigmella	basiguttella (Heinemann, 1862)	•	x

4.059	Stigmella	svenssoni (Johansson, 1971)	●	●
4.060	Stigmella	ruficapitella (Haworth, 1828)	●	x
4.061	Stigmella	atricapitella (Haworth, 1828)	●	●
4.062	Stigmella	samiatella (Zeller, 1839)	●	●
4.063	Stigmella	roborella (Johansson, 1971)	●	●
4.065	Trifurcula	cryptella (Stainton, 1856)	●	x
4.067	Trifurcula	subnitidella (Duponchel, 1843) <i>griseella</i> (Wolff, 1957)	●	●
4.068	Trifurcula	immundella (Zeller, 1839)	●	○
4.071	Bohemannia	pulverosella (Stainton, 1849)	●	●
4.072	Bohemannia	quadrimaculella (Boheman, 1853)	●	●
4.075	Etainia	louisella (Sircom, 1849) <i>sphendamni</i> (Hering, 1937)	●	●
4.076	Etainia	decentella (Herrich-Schäffer, 1855)	●	x
4.078	Fomoria	septembrella (Stainton, 1849)	●	●
4.082	Ectoedemia	intimella (Zeller, 1848)	●	●
4.085	Ectoedemia	argyropeza (Zeller, 1839)	●	●
4.086	Ectoedemia	heckfordi van Nieukerken, Laštuvka & Laštuvka, 2010	●	x
4.088	Ectoedemia	heringella (Mariani, 1939)	●	x
4.089	Ectoedemia	albifasciella (Heinemann, 1871)	●	●
4.090	Ectoedemia	subbimaculella (Haworth, 1828)	●	●
4.092	Ectoedemia	erythrogenella (Joannis, 1907)	●	x
4.094	Ectoedemia	angulifasciella (Stainton, 1849)	●	●
4.095	Ectoedemia	atricollis (Stainton, 1857)	●	●
4.098	Ectoedemia	spinosella (Joannis, 1908)	●	x
4.099	Ectoedemia	occultella (Linnaeus, 1767) <i>mediofasciella</i> (Haworth, 1828) <i>argentipedella</i> (Zeller, 1839)	●	●
4.100	Ectoedemia	minimella (Zetterstedt, 1839) <i>mediofasciella</i> auctorum <i>woolhopiella</i> (Stainton, 1887)	●	●

#### OPOSTEGIDAE

5.001	Opostega	salaciella (Treitschke, 1833)	●	x
5.004	Pseudopostega	crepusculella (Zeller, 1839)	●	●

#### HELIOZELIDAE

6.001	Antispila	metallella ([Denis & Schiffermüller], 1775)	●	x
6.001		<i>pfeifferella</i> (Hübner, 1813)		
6.002	Antispila	petryi Martini, 1899	●	x
6.002		<i>treitschkiella sensu auctt.</i> (Fischer von Röslerstamm, 1843)		
6.003	Heliozela	sericiella (Haworth, 1828) <i>stanneella</i> (Fischer von Röslerstamm, 1841)	●	●
6.004	Heliozela	resplendella (Stainton, 1851)	●	●
6.005	Heliozela	hammoniella Sorhagen, 1885 <i>betulae</i> (Stainton, 1890)	●	●

#### ADELIDAE

7.001	Nemophora	degeerella (Linnaeus, 1758)	●	●
7.003	Nemophora	cupriacella (Hübner, 1819)	●	x
7.005	Nemophora	minimella ([Denis & Schiffermüller], 1775)	●	●
7.006	Adela	reaumurella (Linnaeus, 1758) <i>viridella</i> (Scopoli, 1763)	●	●
7.007	Adela	cuprella ([Denis & Schiffermüller], 1775)	●	●
7.008	Adela	croesella (Scopoli, 1763)	●	●

7.009	Cauchas	fibulella ([Denis & Schiffermüller], 1775)	•	•
7.010	Cauchas	rufimitrella (Scopoli, 1763)	•	•
7.012	Nematopogon	schwarziellus Zeller, 1839	•	•
		<i>panzerella</i> auctorum		
7.014	Nematopogon	metaxella (Hübner, 1813)	•	•
7.015	Nematopogon	swammerdamella (Linnaeus, 1758)	•	•
<b>INCURVARIIDAE</b>				
8.001	Incurvaria	pectinea Haworth, 1828	•	•
8.002	Incurvaria	masculella ([Denis & Schiffermüller], 1775)	•	•
8.003	Incurvaria	oehlmanniella (Hübner, 1796)	•	•
8.004	Incurvaria	praelatella ([Denis & Schiffermüller], 1775)	•	•
8.005	Phylloporia	bistrigella (Haworth, 1828)	•	•
<b>PRODOXIDAE</b>				
9.002	Lampronia	luzella (Hübner, 1817)	•	•
9.003	Lampronia	corticella (Linnaeus, 1758)	•	•
		<i>rubiella</i> (Bjerkander, 1781)		
9.004	Lampronia	morosa Zeller, 1852	○	•
<b>TISCHERIIDAE</b>				
10.001	Tischeria	ekebladella (Bjerkander, 1795)	•	•
10.002	Tischeria	dodonaea Stainton, 1858	•	•
10.003	Coptotriche	marginea (Haworth, 1828)	•	•
<b>PSYCHIDAE</b>				
11.001	Diplodoma	laichartingella (Goeze, 1783)	•	•
		<i>herminata</i> (Geoffroy, 1785)		
11.002	Narycia	duplicella (Goeze, 1783)	•	x
		<i>monilifera</i> (Geoffroy, 1785)		
11.005	Dahlia	lichenella (Linnaeus, 1761)	•	x
11.006	Taleporia	tubulosa (Retzius, 1783)	•	•
11.009	Luffia	lapidella (Goeze, 1783)	•	•
11.012	Psyche	casta (Pallas, 1767)	•	•
11.017	Pachythelia	villosella (Ochsenheimer, 1810)	○	x
<b>TINEIDAE</b>				
12.002	Tenaga	nigripunctella (Haworth, 1828)	○	x
12.005	Infurcitinea	albicomella (Stainton, 1851)	•	x
12.006	Infurcitinea	argentimaculella (Stainton, 1849)	•	•
12.007	Ischnoscia	borreonella (Millière, 1874)	•	x
12.011	Triaxomera	fulvimitrella (Sodoffsky, 1830)	•	•
12.012	Triaxomera	parasitella (Hübner, 1796)	•	x
12.014	Nemaxera	betulinella (Paykull, 1785)	•	x
		<i>corticella</i> (Curtis, 1834)		
12.015	Nemapogon	granella (Linnaeus, 1758)	•	x
12.016	Nemapogon	cloacella (Haworth, 1828)	•	•
12.017	Nemapogon	koenigi Capuše, 1967	•	•
		<i>wolffiella</i> Karsholt & Nielsen, 1977		
		<i>albipunctella</i> (Haworth, 1828)		
12.018	Nemapogon	inconditella (Lucas, 1956)	•	x
		<i>heydeni</i> Petersen, 1957		
12.019	Nemapogon	ruricolella (Stainton, 1849)	•	x
12.021	Nemapogon	clematella (Fabricius, 1781)		•
		<i>arcella</i> auctorum		
12.023	Triaxomasia	caprimulgella (Stainton, 1851)	•	x
12.025	Trichophaga	tapetzella (Linnaeus, 1758)	○	○
12.026	Tineola	bisselliella (Hummel, 1823)	•	•
12.027	Tinea	pellionella Linnaeus, 1758	•	•

12.028	Tinea	dubiella Stainton, 1859 <i>turicensis</i> Müller-Rutz, 1920	●	●
12.030	Tinea	pallescentella Stainton, 1851	●	●
12.031	Tinea	columbariella Wocke, 1877	●	x
12.032	Tinea	semifulvella Haworth, 1828	●	●
12.033	Tinea	trinotella Thunberg, 1794	●	●
12.034	Niditinea	fuscella (Linnaeus, 1758) <i>fuscipunctella</i> (Haworth, 1828)	●	○
12.036	Monopis	laevigella ([Denis & Schiffermüller], 1775) <i>rusticella</i> (Hübner, 1813)	●	●
12.037	Monopis	weaverella (Scott, 1858)	●	●
12.038	Monopis	obviella ([Denis & Schiffermüller], 1775) <i>ferruginella</i> (Hübner, 1813) homonym	●	○
12.039	Monopis	crocicapitella (Clemens, 1859)	●	●
12.044	Haplotinea	insectella (Fabricius, 1794)	x	●
12.046	Oinophila	v-flava (Haworth, 1828)	●	x
12.047	Psychoides	verhuella Bruand, 1853	●	●
12.048	Psychoides	filicivora (Meyrick, 1937)	●	●
<b>ROESLERSTAMMIIDAE</b>				
13.001	Roeslerstammia	pronubella ([Denis & Schiffermüller], 1775)	○	x
13.002	Roeslerstammia	erxebella (Fabricius, 1787)	●	●
<b>BUCCULATRICIDAE</b>				
14.001	Bucculatrix	crisatella Zeller, 1839	●	x
14.002	Bucculatrix	nigricomella Zeller, 1839	●	●
14.003	Bucculatrix	maritima Stainton, 1851	●	●
14.006	Bucculatrix	frangutella (Goeze, 1783) <i>frangulella</i> misspelling	●	x
14.007	Bucculatrix	albedinella Zeller, 1839 <i>boyerella</i> (Duponchel 1840)	●	x
14.008	Bucculatrix	cidarella Zeller, 1839	●	●
14.009	Bucculatrix	thoracella (Thunberg, 1794)	●	●
14.010	Bucculatrix	ulmella Zeller, 1848	●	○
14.012	Bucculatrix	bechsteinella (Bechstein & Scharfenberg, 1805) <i>crataegi</i> Zeller, 1839	●	●
14.013	Bucculatrix	demaryella (Duponchel, 1840)	●	●
<b>GRACILLARIIDAE</b>				
15.001	Parectopa	ononidis (Zeller, 1839)	●	x
15.002	Caloptilia	cuculipennella (Hübner, 1796)	●	●
15.004	Caloptilia	elongella (Linnaeus, 1761)	●	●
15.005	Caloptilia	betulicola (Hering 1927)	●	●
15.006	Caloptilia	rufipennella (Hübner, 1796)	●	●
15.007	Caloptilia	azaleella (Brants, 1913)	●	●
15.008	Caloptilia	alchimiella (Scopoli, 1763)	●	●
15.009	Caloptilia	robustella Jäckh, 1972	●	●
15.010	Caloptilia	stigmatella (Fabricius, 1781)	●	●
15.011	Caloptilia	falconipennella (Hübner, 1813)	●	●
15.012	Caloptilia	semifascia (Haworth, 1828)	●	x
15.014	Gracillaria	syringella (Fabricius, 1794)	●	●
15.015	Aspilapteryx	tringipennella (Zeller, 1839)	●	●
15.016	Euspilapteryx	auroguttella (Stephens, 1835)	●	●
15.017	Calybites	phasianipennella (Hübner, 1813)	●	x
15.018	Povolnya	leucapennella (Stephens, 1835) <i>sulphurella</i> (Haworth, 1828)	●	x

15.019	Acrocercops	brongniardella (Fabricius, 1798)	•	x
15.022	Callisto	denticulella (Thunberg, 1794)	•	•
15.025	Parornix	betulae (Stainton, 1854)	•	•
15.028	Parornix	anglicella (Stainton, 1850)	•	•
15.029	Parornix	devoniella (Stainton, 1850)	•	•
15.030	Parornix	scoticella (Stainton, 1850)	•	•
15.032	Parornix	finitimella (Zeller, 1850)	•	•
15.033	Parornix	torquillella (Zeller, 1850)	•	•
15.034	Phyllonorycter	harrisella (Linnaeus, 1761) <i>cramerella</i> (Fabricius, 1777)	•	•
15.035	Phyllonorycter	roboris (Zeller, 1839)	•	•
15.036	Phyllonorycter	heegeriella (Zeller, 1846)	•	•
15.039	Phyllonorycter	quercifoliella (Zeller, 1839)	•	•
15.040	Phyllonorycter	messaniella (Zeller, 1846)	•	•
15.041	Phyllonorycter	platani (Staudinger, 1870)	•	•
15.043	Phyllonorycter	oxyacanthae (Frey, 1856)	•	•
15.044	Phyllonorycter	sorbi (Frey, 1855)	•	•
15.045	Phyllonorycter	mespilella (Hübner, 1805) <i>pomifoliella</i> (Zeller, 1839) <i>pyrivorella</i> (Banks, 1899)	•	x
15.046	Phyllonorycter	blancardella (Fabricius, 1781) <i>concomitella</i> (Banks, 1899)	•	•
15.047	Phyllonorycter	hostis Triberti, 2007	•	x
15.049	Phyllonorycter	spinicolella (Zeller, 1846) <i>pomonella</i> auctorum <i>deflexella</i> (Stainton, 1851)	•	•
15.050	Phyllonorycter	cerasicolella (Herrich-Schäffer, 1855)	•	x
15.051	Phyllonorycter	lantanela (Schrank, 1802)	•	x
15.052	Phyllonorycter	corylifoliella (Hübner, 1796) <i>betulae</i> (Zeller, 1839)	•	•
15.053	Phyllonorycter	leucographella (Zeller, 1850)	•	•
15.054	Phyllonorycter	viminiella (Sircom, 1848)	•	•
15.055	Phyllonorycter	viminetorum (Stainton, 1854)	•	x
15.056	Phyllonorycter	salicicolella (Sircom, 1848)	•	•
15.058	Phyllonorycter	hilarella (Zetterstedt, 1839) <i>spinolella</i> (Duponchel, 1840)	•	•
15.059	Phyllonorycter	cavella (Zeller, 1846)	•	x
15.060	Phyllonorycter	ulicicolella (Stainton, 1851)	•	x
15.061	Phyllonorycter	scopariella (Zeller, 1846)	•	x
15.063	Phyllonorycter	maestingella (Müller, 1764)	•	•
15.064	Phyllonorycter	coryli (Nicelli, 1851)	•	•
15.065	Phyllonorycter	esperella (Goeze, 1783) <i>quinnata</i> (Geoffroy, 1785) <i>carpinicolella</i> (Stainton, 1851)	•	•
15.066	Phyllonorycter	strigulatella (Lienig & Zeller, 1846) <i>rajella</i> auctorum <i>alnifoliella</i> auctorum	•	x
15.067	Phyllonorycter	rajella (Linnaeus, 1758) <i>alnifoliella</i> (Hübner, 1796)	•	•
15.069	Phyllonorycter	anderidae (Fletcher, 1885)	x	•
15.070	Phyllonorycter	quinqueguttella (Stainton, 1851)	•	•
15.071	Phyllonorycter	nigrescentella (Logan, 1851)	•	x
15.073	Phyllonorycter	lautella (Zeller, 1846)	•	•
15.074	Phyllonorycter	schreberella (Fabricius, 1781)	•	•

15.075	Phyllonorycter	ulmifoliella (Hübner, 1817)	●	●
15.076	Phyllonorycter	emberizaepenella (Bouché, 1834)	●	●
15.078	Phyllonorycter	tristrigella (Haworth, 1828)	●	●
15.079	Phyllonorycter	stettinensis (Nicelli, 1852)	●	●
15.080	Phyllonorycter	froelichiella (Zeller, 1839)	●	x
15.081	Phyllonorycter	nicellii (Stainton, 1851)	●	●
15.082	Phyllonorycter	klemannella (Fabricius, 1781)	●	●
15.083	Phyllonorycter	trifasciella (Haworth, 1828)	●	●
15.084	Phyllonorycter	acerifoliella (Zeller, 1839)	●	●
		<i>sylvella</i> (Haworth, 1828)		
		<i>arcuatella</i> (Stainton, 1854)		
15.085	Phyllonorycter	joannis (Le Marchand, 1936)	●	x
		<i>platanoidella</i> (Joannis, 1920)		
15.086	Phyllonorycter	geniculella (Ragonot, 1874)	●	●
15.089	Cameraria	ohridella Deschka & Dimic, 1986	●	●
15.090	Phyllocnistis	saligna (Zeller, 1839)	○	x
15.092	Phyllocnistis	unipunctella (Stephens, 1834)	●	x
15.093	Phyllocnistis	xenia Hering, 1936	●	x
15.0931	Phyllocnistis	citrella Stainton, 1856	●	x
<b>YPONOMEUTIDAE</b>				
16.001	Yponomeuta	evonymella (Linnaeus, 1758)	●	●
16.002	Yponomeuta	padella (Linnaeus, 1758)	●	●
16.003	Yponomeuta	malinellus Zeller, 1838	*	*
16.004	Yponomeuta	cagnagella (Hübner, 1813)	●	●
16.005	Yponomeuta	rorrella (Hübner, 1796)	●	●
16.007	Yponomeuta	plumbella ([Denis & Schiffermüller], 1775)	●	●
16.008	Yponomeuta	sedella Treitschke, 1832	●	●
		<i>vigintipunctata</i> (Retzius, 1783)		
16.010	Zelleria	hepariella Stainton, 1849	●	●
16.014	Pseudoswammerdamia	combinella (Hübner, 1786)	●	●
16.015	Swammerdamia	caesiella (Hübner, 1796)	●	●
16.017	Swammerdamia	pyrella (Villers, 1789)	●	●
16.019	Paraswammerdamia	albicapitella (Scharfenberg, 1805)	●	●
		<i>spiniella</i> (Hübner, 1809)		
16.020	Paraswammerdamia	nebulella (Goeze, 1783)	●	●
		lutarea (Haworth, 1828)		
16.022	Cedestis	subfasciella (Stephens, 1834)	●	●
16.023	Ocnerostoma	piniariella Zeller, 1847	●	x
16.024	Ocnerostoma	friesei Svensson, 1966	●	x
<b>YPSOLOPHIDAE</b>				
17.001	Ypsolopha	mucronella (Scopoli, 1763)	●	●
17.002	Ypsolopha	nemorella (Linnaeus, 1758)	●	●
17.003	Ypsolopha	dentella (Fabricius, 1775)	●	●
		<i>xylostella</i> auctorum		
17.005	Ypsolopha	scabrella (Linnaeus, 1761)	●	x
17.006	Ypsolopha	horridella (Treitschke, 1835)	●	x
17.007	Ypsolopha	lucella (Fabricius, 1775)	●	●
17.008	Ypsolopha	alpella ([Denis & Schiffermüller], 1775)	●	●
17.009	Ypsolopha	sylvella (Linnaeus, 1767)	●	x
17.010	Ypsolopha	parenthesella (Linnaeus, 1761)	●	●
		<i>costella</i> (Fabricius, 1775)		
17.011	Ypsolopha	ustella (Clerck, 1759)	●	●
		<i>radiatella</i> (Donovan, 1794)		
17.012	Ypsolopha	sequella (Clerck, 1759)	●	●

17.013	Ypsolopha	vittella (Linnaeus, 1758)	•	x
17.014	Ochsenheimeria	taurella ([Denis & Schiffermüller], 1775) <i>mediopectinellus</i> (Haworth, 1828)	•	•
17.015	Ochsenheimeria	urella Fischer von Röslerstamm, 1842 <i>bisontella</i> (Lienig & Zeller, 1846)	•	•
<b>PLUTELLIDAE</b>				
18.001	Plutella	xylostella (Linnaeus, 1758) <i>maculipennis</i> (Curtis, 1832)	•	•
18.003	Plutella	porrectella (Linnaeus, 1758)	•	•
18.005	Rhigognostis	annulatella (Curtis, 1832)	•	•
<b>GLYPHIPTERIGIDAE</b>				
19.001	Orthotelia	sparganella (Thunberg, 1788)	•	•
19.002	Glyphipterix	thrasonella (Scopoli, 1763)	•	•
19.003	Glyphipterix	fuscoviridella (Haworth, 1828)	•	•
19.004	Glyphipterix	equitella (Scopoli, 1763) <i>minorella</i> Snellen, 1882	•	•
19.005	Glyphipterix	haworthana (Stephens, 1834)	•	○
19.006	Glyphipterix	forsterella (Fabricius, 1781)	•	•
19.007	Glyphipterix	simpliciella (Stephens, 1834) <i>fischeriella</i> (Zeller, 1839)	•	•
19.008	Glyphipterix	schoenicolella Boyd, 1858	•	x
19.010	Digitivalva	pulicariae (Klimesch, 1956) <i>granitella</i> auctorum	•	•
19.011	Acrolepiopsis	assectella (Zeller, 1839)	•	•
19.014	Acrolepia	autumnitella Curtis, 1838 <i>pygmaeana</i> (Haworth, 1811)	•	•
<b>ARGYRESTHIIDAE</b>				
20.001	Argyresthia	laevigatella (Heydenreich, 1851) <i>atmoriella</i> Bankes, 1896 <i>illuminatella</i> Zeller, 1839	•	x
20.002	Argyresthia	glabratella (Zeller, 1847)	x	•
20.005	Argyresthia	trifasciata Staudinger, 1871	•	•
20.006	Argyresthia	dilectella Zeller, 1847	•	•
20.007	Argyresthia	cupressella Walsingham, 1890	•	•
20.010	Argyresthia	ivella (Haworth, 1828)	○	○
20.011	Argyresthia	brockeella (Hübner, 1813)	•	•
20.012	Argyresthia	goedartella (Linnaeus, 1758)	•	•
20.013	Argyresthia	pygmaeella ([Denis & Schiffermüller], 1775) <i>rudolphella</i> (Esper, 1791)	•	•
20.014	Argyresthia	sorbiella (Treitschke, 1833)	•	•
20.015	Argyresthia	curvella (Linnaeus, 1761) <i>arcella</i> (Fabricius, 1776) <i>cornella</i> auctorum	•	•
20.016	Argyresthia	retinella Zeller, 1839	•	•
20.017	Argyresthia	glaucinella Zeller, 1839	•	•
20.018	Argyresthia	spinosella Stainton, 1849 <i>mendica</i> (Haworth, 1828)	•	•
20.019	Argyresthia	conjugella Zeller, 1839	•	•
20.020	Argyresthia	semifusca (Haworth, 1828) <i>spiniella</i> Zeller, 1839	•	•
20.021	Argyresthia	pruniella (Clerck, 1759) <i>ephippella</i> (Fabricius, 1777)	•	•
20.022	Argyresthia	bonnetella (Linnaeus, 1758) <i>nitidella</i> (Fabricius, 1787)	•	•



20.023	Argyresthia	albistria (Haworth, 1828)	●	●
20.024	Argyresthia	semitestacella (Curtis, 1833)	●	●
<b>LYONETIIDAE</b>				
21.001	Lyonetia	clerkella (Linnaeus, 1758)	●	●
21.002	Lyonetia	prunifoliella (Hübner, 1796)	●	x
21.003	Leucoptera	lotella (Stainton, 1858)	●	●
21.004	Leucoptera	laburnella (Stainton, 1851)	●	●
21.005	Leucoptera	spartifoliella (Hübner, 1813)	●	○
21.006	Leucoptera	lathyrifoliella (Stainton, 1866)	●	x
21.008	Leucoptera	malifoliella (Costa, 1836) <i>scitella</i> (Zeller, 1839)	●	●
<b>PRAYDIDAE</b>				
22.002	Prays	fraxinella (Bjerkander, 1784) <i>curtisella</i> (Donovan, 1793)	●	●
22.003	Prays	ruficeps (Heinemann, 1854)	●	x
22.004	Prays	oleae (Bernard, 1788)	●	●
22.0041	Prays	citri (Millière, 1873)	●	x
<b>HELIODINIDAE</b>				
23.001	Heliodines	roesella (Linnaeus, 1758)	*	*
<b>BEDELLIIDAE</b>				
24.001	Bedellia	somnulentella (Zeller, 1847)	●	●
<b>SCYTHROPIIDAE</b>				
25.001	Scythropia	crataegella (Linnaeus, 1767) <i>cornella</i> (Fabricius, 1775)	●	●
<b>DOUGLASIIDAE</b>				
26.001	Tinagma	ocnerostomella (Stainton, 1850)	●	x
<b>AUTOSTICHIDAE</b>				
27.001	Oegoconia	quadripuncta (Haworth, 1828)	●	●
27.002	Oegoconia	caradjai Popescu-Gorj & Capuse, 1965	●	●
<b>OECOPHORIDAE</b>				
28.003	Schiffermuellerina	grandis (Desvignes, 1842)	●	x
28.005	Denisia	albimaculea (Haworth, 1828)	*	x
28.007	Denisia	subaquilea (Stainton, 1849)	●	●
28.008	Metalampra	italica Baldizzone, 1977	●	●
28.009	Endrosis	sarcitrella (Linnaeus, 1758)	●	●
28.010	Hofmannophila	pseudospretella (Stainton, 1849)	●	●
28.011	Borkhausenia	minutella (Linnaeus, 1758)	○	○
28.012	Borkhausenia	fuscescens (Haworth, 1828)	●	●
28.013	Crassa	tinctella (Hübner, 1796)	●	x
28.014	Crassa	unitella (Hübner, 1796)	●	●
28.015	Batia	lunaris (Haworth, 1828)	●	●
28.017	Batia	lambdella (Donovan, 1793)	●	●
28.019	Esperia	sulphurella (Fabricius, 1775)	●	●
28.021	Oecophora	bractella (Linnaeus, 1758)	●	x
28.022	Alabonia	geoffrella (Linnaeus, 1767)	●	●
28.024	Tachystola	acroxantha (Meyrick, 1885)	●	●
28.025	Pleurota	bicostella (Clerck, 1759)	●	x
28.027	Aplota	palpellus (Haworth, 1828)	●	x
<b>CHIMABACHIDAE</b>				
29.001	Diurnea	fagella ([Denis & Schiffermüller], 1775)	●	●
29.002	Diurnea	lipsiella ([Denis & Schiffermüller], 1775) <i>phryganella</i> (Hübner, 1796)	●	●
29.003	Dasystema	salicella (Hübner, 1796)	●	x
<b>LYPUSIDAE</b>				

30.001	Agnoea	flavifrontella ([Denis & Schiffermüller], 1775)	●	x
30.002	Agnoea	subochreella (Doubleday, 1859)	●	x
30.003	Agnoea	josephinae (Toll, 1956)	●	●
30.004	Amphisbatis	incongruella (Stainton, 1849)	●	x
<b>PELEPODIDAE</b>				
31.001	Carcina	quercana (Fabricius, 1775)	●	●
<b>DEPRESSARIIDAE</b>				
32.002	Semioscopis	steinkellneriana ([Denis & Schiffermüller], 1775)	●	●
32.003	Luquetia	lobella ([Denis & Schiffermüller], 1775)	●	x
32.007	Agonopterix	ocellana (Fabricius, 1775)	●	●
32.008	Agonopterix	liturosa (Haworth, 1811) <i>liturella</i> (Hübner, 1796) <i>huebneri</i> Bradley, 1966	●	x
32.009	Agonopterix	purpurea (Haworth, 1811)	●	○
32.010	Agonopterix	conterminella (Zeller, 1839)	●	●
32.011	Agonopterix	scopariella (Heinemann, 1870)	●	●
32.013	Agonopterix	carduella (Hübner, 1817)	○	○
32.015	Agonopterix	subpropinquella (Stainton, 1849)	●	●
32.016	Agonopterix	propinquella (Treitschke, 1835)	●	○
32.017	Agonopterix	arenella ([Denis & Schiffermüller], 1775)	●	●
32.018	Agonopterix	heracliana (Linnaeus, 1758) <i>applana</i> (Fabricius, 1776)	●	●
32.019	Agonopterix	ciliella (Stainton, 1849)	●	●
32.023	Agonopterix	rotundella (Douglas, 1846)	●	●
32.024	Agonopterix	assimilella (Treitschke, 1832)	●	●
32.025	Agonopterix	nanatella (Stainton, 1849)	●	●
32.026	Agonopterix	kaekeritziana (Linnaeus, 1767) <i>liturella</i> ([Denis & Schiffermüller], 1775)	●	●
32.029	Agonopterix	umbellana (Fabricius, 1794) <i>ulicetella</i> (Stainton, 1849) <i>prostratella</i> auctorum	●	●
32.030	Agonopterix	nervosa (Haworth, 1811) <i>costosa</i> (Haworth, 1811)	●	●
32.031	Agonopterix	alstromeriana (Clerck, 1759)	●	●
32.032	Agonopterix	angelicella (Hübner, 1813)	●	●
32.035	Agonopterix	yeatiana (Fabricius, 1781)	●	●
32.036	Depressaria	radiella (Goeze, 1783) <i>heraclei</i> (Retzius, 1783) <i>pastinacella</i> (Duponchel, 1838) <i>heracliana</i> auctorum	●	●
32.037	Depressaria	pimpinellae Zeller, 1839	●	x
32.038	Depressaria	badiella (Hübner 1796)	●	●
32.039	Depressaria	daucella ([Denis & Schiffermüller], 1775) <i>nervosa</i> auctorum	●	●
32.040	Depressaria	ultimella Stainton, 1849	●	●
32.042	Depressaria	pulcherrimella Stainton, 1849	●	●
32.044	Depressaria	douglasella Stainton, 1849	●	x
32.045	Depressaria	albipunctella ([Denis & Schiffermüller], 1775) <i>aegopodiella</i> (Hübner, 1825)	●	○
32.047	Depressaria	chaerophylli Zeller, 1839	●	●
32.049	Depressaria	discipunctella Herrich-Schäffer, 1854	○	x

32.050	Telechrysis	tripuncta (Haworth, 1828)	●	●
<b>ETHMIIDAE</b>				
33.001	Ethmia	dodecea (Haworth, 1828)	●	●
33.002	Ethmia	quadrilla (Goeze, 1783)	●	x
33.006	Ethmia	bipunctella (Fabricius, 1775)	●	x
<b>COSMOPTERIGIDAE</b>				
34.001	Panalia	leuwenhoekella (Linnaeus, 1761)	●	x
34.002	Panalia	schwarzella (Fabricius, 1798) latreillella Curtis, 1830	x	●
34.004	Limnaecia	phragmitella Stainton, 1851	●	●
34.007	Cosmopterix	orichalcea Stainton, 1861	●	x
34.009	Cosmopterix	pulchrimella Chambers, 1875	●	●
34.010	Cosmopterix	lienigiella Lienig & Zeller, 1846	●	x
34.0111	Anatrachyntis	badia (Hodges, 1962)	●	x
34.0112	Anatrachyntis	simplex (Walsingham, 1891)	●	x
34.014	Sorhagenia	janiszewskae Riedl, 1962	●	●
<b>GELECHIIDAE</b>				
35.003	Aproaerema	larseniella (Gozmány, 1957)	●	●
35.004	Aproaerema	taeniolella (Zeller, 1839)	●	●
35.009	Aproaerema	polychromella (Rebel, 1902)	●	●
35.010	Aproaerema	anthyllidella (Hübner, 1813)	●	●
35.011	Anacampsis	populella (Clerck, 1759)	●	●
35.016	Nothris	congressariella (Bruand, 1858)	x	●
35.017	Neofaculta	ericetella (Geyer, 1832)	●	●
35.018	Hypatima	rhomboidella (Linnaeus, 1758)	●	●
35.019	Anarsia	lineatella Zeller, 1839	●	x
35.020	Anarsia	spartiella (Schrank, 1802)	●	●
35.022	Dichomeris	marginella (Fabricius, 1781)	●	x
35.026	Acompsia	cinerella (Clerck, 1759)	●	●
35.027	Acompsia	schmidtellus (Heyden, 1848)	●	x
35.028	Brachmia	blandella (Fabricius, 1798)	●	●
35.031	Helcystogramma	rufescens (Haworth, 1828)	●	○
35.033	Platyedra	subcinerea (Haworth, 1828)	●	x
35.034	Sitotroga	cerealella (Olivier, 1789)	●	x
35.035	Chrysoesthia	drurella (Fabricius, 1775)	●	x
35.036	Chrysoesthia	<i>hermannella</i> auctorum sexguttella (Thunberg, 1794) <i>stipella</i> auctorum	●	●
35.037	Thiotricha	subocellea (Stephens, 1834)	●	x
35.038	Bryotropha	domestica (Haworth, 1828)	●	●
35.040	Bryotropha	terrella ([Denis & Schiffermüller], 1775)	●	●
35.041	Bryotropha	desertella (Douglas, 1850)	●	●
35.044	Bryotropha	dryadella (Zeller, 1850) <i>saralella</i> Amsel, 1952	●	●
35.046	Bryotropha	senectella (Zeller, 1839)	●	●
35.047	Bryotropha	affinis (Haworth, 1828)	●	●
35.048	Bryotropha	umbrosella (Zeller, 1839) <i>f. mundella</i> (Douglas, 1850) <i>f. portlandicella</i> (Richardson, 1890)	●	●
35.049	Bryotropha	similis (Stainton, 1854)	●	●
35.050	Aristotelia	ericinella (Zeller, 1839)	●	x
35.052	Aristotelia	brizella (Treitschke, 1833)	●	x
35.053	Isophrictis	striatella ([Denis & Schiffermüller], 1775)	●	x
35.055	Metzneria	aestivella (Zeller, 1839)	●	●

		<i>carlinella</i> (Stainton, 1851)		
35.056	Metzneria	lappella (Linnaeus, 1758)	●	x
35.058	Metzneria	metzneriella (Stainton, 1851)	●	●
35.060	Apodia	bifractella (Duponchel, 1843)	●	●
35.061	Ptocheuusa	paupella (Zeller, 1847)	●	●
		<i>inopella</i> auctorum		
35.064	Argolamprotes	micella ([Denis & Schiffermüller], 1775)	●	●
35.065	Monochroa	cytisella (Curtis, 1837)	●	●
35.066	Monochroa	tenebrella (Hübner, 1817)	●	●
35.069	Monochroa	elongella (Heinemann, 1870)	x	●
35.070	Monochroa	lutulentella (Zeller, 1839)	●	x
35.071	Monochroa	lucidella (Stephens, 1834)	●	●
35.073	Monochroa	palustrellus (Douglas, 1850)	x	●
35.078	Monochroa	niphognatha (Gozmány, 1953)	●	x
35.080	Oxypteryx	unicolorella (Duponchel, 1843)	●	x
35.081	Oxypteryx	atrella ([Denis & Schiffermüller], 1775)	●	●
35.082	Oxypteryx	immaculatella (Douglas, 1850)	●	●
		<i>phaeella</i> Heckford & Langmaid, 1988		
35.085	Athrips	mouffetella (Linnaeus, 1758)	●	●
35.093	Mirificarma	mulinella (Zeller, 1839)	●	●
35.094	Aroga	velocella (Zeller, 1839)	●	x
35.095	Chionodes	distinctella (Zeller, 1839)	x	●
35.096	Chionodes	fumatella (Douglas, 1850)	○	x
35.097	Gelechia	rhombella ([Denis & Schiffermüller], 1775)	○	x
35.099	Gelechia	senticetella (Staudinger, 1859)	●	x
35.101	Gelechia	sororculella (Hübner, 1817)	●	●
35.107	Psoricoptera	gibbosella (Zeller, 1839)	●	●
35.109	Scrobipalpa	acuminatella (Sircom, 1850)	●	●
35.114	Scrobipalpa	instabilella (Douglas, 1846)	●	○
35.115	Scrobipalpa	nitentella (Fuchs, 1902)	●	●
		<i>seminella</i> (Pierce & Metcalfe, 1935)		
35.116	Scrobipalpa	obsoletella (Fischer von Röslerstamm, 1841)	●	x
35.117	Scrobipalpa	atriplicella (Fischer von Röslerstamm, 1841)	●	x
35.118	Scrobipalpa	ocellatella (Boyd, 1858)	●	x
35.119	Scrobipalpa	samadensis (Pfaffenzeller, 1870)	●	●
35.123	Scrobipalpa	costella (Humphreys & Westwood, 1845)	●	●
35.125	Scrobipalpula	tussilaginis (Stainton, 1867)	●	x
35.126	Phthorimaea	operculella (Zeller, 1873)	●	x
35.127	Tuta	absoluta (Meyrick, 1917)	●	x
35.128	Caryocolum	alsinella (Zeller, 1868)	●	●
		<i>semidecandrella</i> (Tutt, 1887)		
		<i>semidecandrella</i> (Threiffall, 1887)		
35.129	Caryocolum	viscariella (Stainton, 1855)	●	●
35.130	Caryocolum	vicinella (Douglas, 1851)	●	●
35.131	Caryocolum	marmorea (Haworth, 1828)	●	●
35.132	Caryocolum	fraternella (Douglas, 1851)	●	x
35.133	Caryocolum	blandella (Douglas, 1852)	●	●
		<i>gerronella</i> (Zeller, 1850)		
35.137	Caryocolum	tricolorella (Haworth, 1812)	●	●
35.138	Caryocolum	junctella (Douglas, 1851)	●	x
35.141	Teleiodes	vulgella ([Denis & Schiffermüller], 1775)	●	●
35.143	Teleiodes	luculella (Hübner, 1813)	●	●
35.145	Neotelphusa	sequax (Haworth, 1828)	●	x
35.146	Teleiopsis	diffinis (Haworth, 1828)	●	○

35.147	Carpatolechia	decorella (Haworth, 1812)	●	●
35.148	Carpatolechia	fugitivella (Zeller, 1839)	●	○
35.150	Carpatolechia	notatella (Hübner, 1813)	●	●
35.151	Carpatolechia	proximella (Hübner, 1796)	●	●
35.152	Pseudotelphusa	scalella (Scopoli, 1763)	●	x
35.153	Pseudotelphusa	paripunctella (Thunberg, 1794)	●	●
35.157	Recurvaria	leucatella (Clerck, 1759)	●	x
35.159	Exoteleia	dodecella (Linnaeus, 1758)	●	●
35.160	Stenolechia	gemmella (Linnaeus, 1758)	●	●
35.161	Parachronistis	albiceps (Zeller, 1839)	●	x
<b>BATRACHEDRIDAE</b>				
36.001	Batrachedra	praeangusta (Haworth, 1828)	●	●
36.002	Batrachedra	pinicolella (Zeller, 1839)	●	●
<b>COLEOPHORIDAE</b>				
37.002	Coleophora	lutarea (Haworth, 1828) <i>modestella</i> (Duponchel, 1839)	●	●
37.005	Coleophora	lutipennella (Zeller, 1838)	●	●
37.006	Coleophora	gryhipennella (Hübner, 1796)	●	●
37.007	Coleophora	flavipennella (Duponchel, 1843)	●	●
37.008	Coleophora	adjectella Herrich-Schäffer, 1861 <i>badiipennella</i> auctorum	●	x
37.009	Coleophora	milvipennis Zeller, 1839 <i>limosipennella</i> auctorum	●	●
37.011	Coleophora	<i>badiipennella</i> (Duponchel, 1843)	○	x
37.012	Coleophora	<i>limosipennella</i> (Duponchel, 1843)	●	x
37.013	Coleophora	siccifolia Stainton, 1856	●	x
37.014	Coleophora	coracipennella (Hübner, 1796) <i>nigricella</i> (Stephens, 1834)	●	x
37.015	Coleophora	serratella (Linnaeus, 1761) <i>fuscedinella</i> Zeller, 1849	●	●
37.016	Coleophora	spinella (Schrank, 1802) <i>cerasivorella</i> Packard, 1870	●	x
37.017	Coleophora	prunifoliae Doets, 1944	●	x
37.020	Coleophora	fuscocuprella Herrich-Schäffer, 1885	●	x
37.022	Coleophora	lusciniaepennella (Treitschke, 1833) <i>viminetella</i> Zeller, 1849	●	●
37.026	Coleophora	violacea (Ström, 1783) <i>paripennella</i> auctorum <i>hornigi</i> Toll, 1952 <i>albicornuella</i> Bradley, 1956	●	●
37.027	Coleophora	potentillae Elisha, 1885	●	●
37.028	Coleophora	juncicolella Stainton, 1851	●	●
37.029	Coleophora	orbitella Zeller, 1849	●	x
37.030	Coleophora	binderella (Kollar 1832)	●	●
37.032	Coleophora	albitarsella Zeller, 1849	●	●
37.033	Coleophora	trifolii (Curtis, 1832)	●	●
37.035	Coleophora	alcyonipennella (Kollar, 1832)	●	●
37.036	Coleophora	conyzae Zeller, 1868	●	x
37.038	Coleophora	lineolea (Haworth, 1828)	●	x
37.040	Coleophora	lithargyrinella Zeller, 1849	●	●
37.044	Coleophora	discordella Zeller, 1849	●	●
37.046	Coleophora	deauratella Lienig & Zeller, 1846	●	x
37.048	Coleophora	mayrella (Hübner, 1813) <i>spissicornis</i> (Haworth, 1828)	●	●

37.049	Coleophora	anatipennella (Hübner, 1796) <i>bernoulliella</i> Goeze, 1783	•	•
37.050	Coleophora	albidella ([Denis & Schiffermüller], 1775)	•	•
37.051	Coleophora	kuehnella Goeze, 1783 <i>lamellifera</i> Fourcroy, 1785 <i>palliatella</i> (Zincken, 1813)	•	x
37.052	Coleophora	ibipennella Zeller, 1849 <i>nemorum</i> Heinemann, 1854 <i>ardeaepennella</i> Scott, 1861	•	•
37.053	Coleophora	betulella Heinemann, 1876 <i>ibipennella</i> auctorum	•	x
37.055	Coleophora	pyrrhulipennella Zeller, 1839	•	○
37.061	Coleophora	lixella Zeller, 1849	•	x
37.063	Coleophora	albicosta (Haworth, 1828)	•	•
37.066	Coleophora	laricella (Hübner, 1817)	•	x
37.068	Coleophora	adjunctella Hodgkinson, 1882	•	x
37.069	Coleophora	caespititiella Zeller, 1839 <i>agrammella</i> Wood, 1892	•	•
37.070	Coleophora	tamesis Waters, 1929 <i>cratipennella</i> auctorum	•	•
37.071	Coleophora	glaucicolella Wood, 1892	•	x
37.072	Coleophora	otidipennella (Hübner, 1817) <i>murinipennella</i> (Duponchel, 1844)	•	•
37.073	Coleophora	alticolella Zeller, 1849 <i>caespititiella</i> auctorum	•	•
37.074	Coleophora	taeniipennella Herrich-Schäffer, 1855 <i>galactaula</i> Meyrick, 1928	•	•
37.076	Coleophora	sylvaticella Wood, 1892	•	•
37.077	Coleophora	lassella Staudinger, 1859 <i>teidensis</i> Walsingham, 1908	•	•
37.078	Coleophora	maritimella Newman, 1873 <i>obtusella</i> Stainton, 1874	•	•
37.080	Coleophora	virgaureae Stainton, 1857 <i>obscenella</i> auctorum	•	•
37.082	Coleophora	asteris Mühlig, 1864	•	x
37.083	Coleophora	saxicolella (Duponchel, 1843) <i>benanderi</i> Kanerva, 1941	•	•
37.084	Coleophora	sternipennella (Zetterstedt, 1839) <i>flavaginella</i> Lienig & Zeller, 1846	•	x
37.086	Coleophora	versurella Zeller, 1849	•	x
37.088	Coleophora	atriplicis Meyrick, 1928	•	x
37.090	Coleophora	artemisicoella Bruand, 1855 <i>granulatella</i> auctorum <i>albicans</i> auctorum	•	•
37.093	Coleophora	peribenanderi Toll, 1943 <i>therinella</i> auctorum	•	x
37.095	Coleophora	trochilella (Duponchel, 1843) <i>troglydytella</i> auctorum	•	x
37.096	Coleophora	gardesanella Toll, 1953 <i>machinella</i> Bradley, 1971	•	x
37.097	Coleophora	linosyridella Fuchs, 1880	•	x
37.099	Coleophora	striatipennella Nylander, 1848 <i>apicella</i> Stainton, 1858	•	•
37.100	Coleophora	solitariella Zeller, 1849	•	x

37.102	Coleophora	argentula (Stephens, 1834)	●	●
37.103	Coleophora	follicularis (Vallot, 1802)	●	●
		<i>troglydytella</i> (Duponchel, 1843)		
37.104	Coleophora	adpersella Benander, 1939	●	x
37.106	Coleophora	paripennella Zeller, 1839	●	●
		<i>alcyonipennella</i> auctorum		
37.107	Coleophora	clypeiferella Hofmann, 1871	●	x
37.108	Coleophora	salicorniae Heinemann & Wocke, 1876	●	●
<b>ELACHISTIDAE</b>				
38.001	Perittia	obscurepunctella (Stainton, 1848)	●	●
38.003	Stephensia	brunnichella (Linnaeus, 1767)	●	x
38.004	Elachista	argentella (Clerck, 1759)	●	●
		<i>cygnipennella</i> (Hübner, 1796)		
38.006	Elachista	collitella (Duponchel, 1843)	●	x
38.007	Elachista	subocellea (Stephens, 1834)	●	x
38.008	Elachista	triseriatella Stainton, 1854	●	x
38.010	Elachista	bedellella (Sircom, 1848)	x	*
38.012	Elachista	obliquella Stainton, 1854	●	○
		<i>megerlella</i> auctorum		
38.015	Elachista	gangabella Zeller, 1850	●	●
		<i>taeniatella</i> Stainton, 1857		
38.016	Elachista	subalbidella Schläger, 1847	●	●
38.017	Elachista	adscitella Stainton, 1851	*	x
		<i>revinctella</i> auctorum		
38.018	Elachista	bisulcella (Duponchel, 1843)	●	○
		<i>zonariella</i> Tengström, 1848		
38.019	Elachista	regificella Sircom, 1849	●	●
		<i>magnificella</i> auctorum		
38.022	Elachista	gleichenella (Fabricius, 1781)	●	○
		<i>magnificella</i> (Duponchel, 1843)		
38.023	Elachista	biatomella (Stainton, 1848)	●	●
38.025	Elachista	atricomella Stainton, 1849	●	●
38.029	Elachista	luticomella Zeller, 1839	●	●
38.030	Elachista	albifrontella (Hübner, 1817)	●	●
38.033	Elachista	subnigrella Douglas, 1853	*	x
38.036	Elachista	humilis Zeller, 1850	●	x
		<i>occultella</i> Douglas, 1850		
		<i>perplexella</i> Stainton, 1858		
38.037	Elachista	canapennella (Hübner, 1813)	●	●
		<i>pulchella</i> (Haworth, 1828)		
		<i>obscurella</i> Stainton, 1849		
38.038	Elachista	rufocinerea (Haworth, 1828)	●	●
38.039	Elachista	maculicerusella Bruand, 1859	●	x
		<i>cerusella</i> (Hübner, 1796)		
		<i>monosemiella</i> auctorum		
38.040	Elachista	trapeziella (Stainton, 1849)	●	●
38.041	Elachista	cinereopunctella (Haworth, 1828)	●	x
38.042	Elachista	serricornis (Stainton, 1854)	●	x
38.043	Elachista	scirpi (Stainton, 1887)	●	x
38.045	Elachista	utonella (Frey, 1856)	●	x
		<i>paludum</i> (Frey, 1859)		
38.046	Elachista	albidella (Nylander, 1848)	●	x
		<i>rhynchosporaella</i> (Stainton, 1848)		
38.047	Elachista	freyerella (Hübner, 1825)	●	●

38.048	Elachista	<i>nigrella</i> (Hübner, 1805) <i>consortella</i> (Stainton, 1851) <i>exiguella</i> (Frey, 1885)	•	•
38.049	Elachista	<i>stabilella</i> (Stainton, 1858)	•	x
<b>PARAMETRIOTIDAE</b>				
39.001	Blastodacna	<i>hellerella</i> (Duponchel, 1838)	•	•
39.003	Spuleria	<i>flavicaput</i> (Haworth, 1828)	•	•
39.005	Chrysoclista	<i>linneella</i> (Clerck, 1759)	•	x
<b>MOMPHIDAE</b>				
40.001	Mompha	<i>conturbatella</i> (Hübner, 1819)	•	•
40.002	Mompha	<i>ochraceella</i> (Curtis, 1839)	•	•
40.003	Mompha	<i>lacteella</i> (Stephens, 1834)	•	○
40.004	Mompha	<i>propinquella</i> (Stainton, 1851)	•	•
40.005	Mompha	<i>divisella</i> Herrich-Schäffer, 1854	•	•
40.007	Mompha	<i>bradleyi</i> Riedl, 1965	•	x
40.008	Mompha	<i>subbistrigella</i> (Haworth, 1828)	•	•
40.010	Mompha	<i>epilobiella</i> ([Denis & Schiffermüller], 1775) <i>fulvescens</i> (Haworth, 1828)	•	•
40.011	Mompha	<i>langiella</i> (Hübner, 1796) <i>epilobiella</i> (Roemer, 1794)	•	•
40.012	Mompha	<i>miscella</i> ([Denis & Schiffermüller], 1775)	•	x
40.013	Mompha	<i>locupletella</i> ([Denis & Schiffermüller], 1775)	•	•
40.014	Mompha	<i>terminella</i> (Humphreys & Westwood, 1845)	•	•
40.015	Mompha	<i>raschkiella</i> (Zeller, 1839)	•	•
<b>BLASTOBASIDAE</b>				
41.002	Blastobasis	<i>adustella</i> Walsingham, 1894 <i>lignea</i> auctorum	•	•
41.003	Blastobasis	<i>lacticolella</i> Rebel, 1940 <i>decolorella</i> auctorum	•	•
<b>STATHMOPODIDAE</b>				
42.001	Pachyrhabda	<i>steropodes</i> Meyrick, 1897	•	x
42.002	Stathmopoda	<i>pedella</i> (Linnaeus, 1761)	•	x
42.0021	Stathmopoda	<i>diplaspis</i> (Meyrick, 1887)	•	x
42.0022	Stathmopoda	<i>auriferella</i> (Walker, 1864)	•	x
<b>SCYTHRIDIDAE</b>				
43.002	Scythis	<i>grandipennis</i> (Haworth, 1828)	•	•
43.004	Scythis	<i>picaepennis</i> (Haworth, 1828)	•	•
<b>ALUCITIDAE</b>				
44.001	Alucita	<i>hexadactyla</i> Linnaeus, 1758	•	•
<b>PTEROPHORIDAE</b>				
45.002	Agdistis	<i>meridionalis</i> (Zeller, 1847) <i>staticis</i> Millière, 1875	•	○
45.004	Platyptilia	<i>gonodactyla</i> ([Denis & Schiffermüller], 1775)	•	•
45.005	Platyptilia	<i>calodactyla</i> ([Denis & Schiffermüller], 1775)	x	•
45.006	Platyptilia	<i>isodactylus</i> (Zeller, 1852)	•	•
45.008	Gillmeria	<i>pallidactyla</i> (Haworth, 1811)	•	•
45.009	Gillmeria	<i>ochrodactyla</i> ([Denis & Schiffermüller], 1775) <i>tetradactyla</i> auctorum	•	•
45.010	Amblyptilia	<i>acanthadactyla</i> (Hübner, 1813)	•	•
45.011	Amblyptilia	<i>punctidactyla</i> (Haworth, 1811)	•	•
45.012	Stenoptilia	<i>pterodactyla</i> (Linnaeus, 1761)	•	•
45.013	Stenoptilia	<i>bipunctidactyla</i> (Scopoli, 1763)	•	•



45.015	Stenoptilia	inopinata Bigot & Picard, 2002	●	x
45.021	Stenoptilia	zophodactylus (Duponchel, 1840)	●	●
45.023	Marasmarcha	lunaedactyla (Haworth, 1811)	●	●
45.025	Oxyptilus	parvidactyla (Haworth, 1811)	*	x
45.027	Oxyptilus	laetus (Zeller, 1847)	●	○
45.028	Capperia	britanniodactylus (Gregson, 1869)	●	●
45.029	Buckleria	paludum (Zeller, 1839)	●	x
45.030	Pterophorus	pentadactyla (Linnaeus, 1758)	●	●
45.034	Merrifieldia	baliodactylus (Zeller, 1841)	●	●
45.035	Wheeleria	spilodactylus (Curtis, 1827)	x	*
45.037	Oidaematophorus	lithodactyla (Treitschke, 1833)	●	●
45.038	Hellinsia	tephradactyla (Hübner, 1813)	x	●
45.039	Hellinsia	carphodactyla (Hübner, 1813)	●	x
45.040	Hellinsia	lienigianus (Zeller, 1852)	○	x
45.041	Hellinsia	osteodactylus (Zeller, 1841)	x	●
45.043	Adaina	microdactyla (Hübner, 1813)	●	●
45.044	Emmelina	monodactyla (Linnaeus, 1758)	●	●
<b>SCHRECKENSTEINIIDAE</b>				
46.001	Schreckensteinia	festaliella (Hübner, 1819)	●	●
<b>EPERMENIIDAE</b>				
47.002	Phaulernis	dentella (Zeller, 1839)	●	●
47.003	Epermenia	insecurella (Stainton, 1849)	●	x
47.004	Epermenia	aequidentellus (Hofmann, 1867)	●	●
47.005	Epermenia	chaerophyllella (Goeze, 1783)	●	●
47.006	Epermenia	falciformis (Haworth, 1828) <i>illigerella</i> auctorum	●	●
<b>CHOREUTIDAE</b>				
48.001	Anthophila	fabriciana (Linnaeus, 1767)	●	●
48.002	Prochoreutis	myllerana (Fabricius, 1794)	●	●
48.003	Prochoreutis	sehestediana (Fabricius, 1776)	●	●
48.005	Tebenna	micalis (Mann, 1857)	●	●
48.007	Choreutis	pariana (Clerck, 1759)	●	●
<b>TORTRICIDAE</b>				
49.001	Olindia	schumacherana (Fabricius, 1787)	●	●
49.002	Isotrias	rectifasciana (Haworth, 1811)	●	x
49.003	Sparganothis	pillieriana ([Denis & Schiffermüller], 1775)	●	x
49.004	Ditula	angustiorana (Haworth, 1811)	●	●
49.005	Epagoge	grotiana (Fabricius, 1781)	●	●
49.008	Philedone	gerningana ([Denis & Schiffermüller], 1775)	x	●
49.009	Capua	vulgana (Frölich, 1828)	●	●
49.013	Archips	podana (Scopoli, 1763)	●	●
49.014	Archips	crataegana (Hübner, 1799)	●	x
49.015	Archips	xylostearana (Linnaeus, 1758)	●	●
49.016	Archips	rosana (Linnaeus, 1758)	●	●
49.018	Choristoneura	hebenstreitella (Müller, 1764)	●	●
49.020	Argyrotaenia	ljungiana (Thunberg, 1797) <i>pulchellana</i> (Haworth, 1811)	●	x
49.021	Ptycholomoides	aeriferana (Herrich-Schäffer, 1851)	●	●
49.022	Ptycholoma	lecheana (Linnaeus, 1758)	●	●
49.023	Pandemis	cinnamomeana (Treitschke, 1830)	●	●
49.024	Pandemis	corylana (Fabricius, 1794)	●	●
49.025	Pandemis	cerasana (Hübner, 1786) <i>ribeana</i> (Hübner, 1799)	●	●
49.026	Pandemis	heparana ([Denis & Schiffermüller], 1775)	●	●

49.028	Syndemis	musculana musculana (Hübner, 1799)	•	•
49.029	Lozotaenia	forsterana (Fabricius, 1781)	•	•
49.030	Cacoecimorpha	pronubana (Hübner, 1799)	•	•
49.031	Zelothereses	paleana (Hübner, 1793)	•	•
49.032	Zelothereses	unitana (Hübner, 1799)	•	•
49.033	Aphelia	viburnana ([Denis & Schiffermüller], 1775)	•	•
49.035	Clepsis	senecionana (Hübner, 1819)	•	x
		<i>rusticana</i> auctorum		
49.037	Clepsis	spectrana (Treitschke, 1830)	•	•
		<i>costana</i> auctorum		
49.038	Clepsis	consimilana (Hübner, 1817)	•	•
49.039	Epiphyas	postvittana (Walker, 1863)	•	•
49.040	Lozotaeniodes	formosana (Frölich, 1830)	•	•
49.0411	Adoxophyes	privatana (Walker, 1863)	•	x
49.042	Neosphaleroptera	nubilana (Hübner, 1799)	○	x
49.044	Tortricodes	alternella ([Denis & Schiffermüller], 1775)	•	•
49.045	Eana	osseana (Scopoli, 1763)	•	○
49.047	Eana	incanana (Stephens, 1852)	•	○
49.049	Cnephasia	incertana (Treitschke, 1835)	•	•
49.050	Cnephasia	stephensiana (Doubleday, 1849)	•	•
		<i>octomaculana</i> Curtis, 1850		
49.051	Cnephasia	asseclana ([Denis & Schiffermüller], 1775)	•	•
		<i>interjectana</i> (Haworth, 1811)		
49.052	Cnephasia	pasiuana (Hübner, 1799)	•	x
49.056	Cnephasia	conspersana Douglas, 1846	•	•
49.057	Cnephasia	longana (Haworth, 1811)	•	•
49.058	Spatalistis	bifasciana (Hübner, 1787)	•	•
49.059	Tortrix	viridana (Linnaeus, 1758)	•	•
49.060	Aleimma	loeflingiana (Linnaeus, 1758)	•	•
49.061	Acleris	holmiana (Linnaeus, 1758)	•	•
49.062	Acleris	forsskaleana (Linnaeus, 1758)	•	•
49.063	Acleris	bergmanniana (Linnaeus, 1758)	•	•
49.064	Acleris	caledoniana (Stephens, 1852)	•	•
49.065	Acleris	comariana (Lienig & Zeller, 1846)	•	•
49.066	Acleris	laterana (Fabricius, 1794)	•	•
49.069	Acleris	sparsana ([Denis & Schiffermüller], 1775)	•	•
49.070	Acleris	rhombana ([Denis & Schiffermüller], 1775)	•	•
49.071	Acleris	emargana (Fabricius, 1775)	•	•
49.073	Acleris	schalleriana (Linnaeus, 1761)	•	•
49.075	Acleris	umbrana (Hübner, 1799)	•	x
49.076	Acleris	crisana ([Denis & Schiffermüller], 1775)	•	•
49.077	Acleris	variegana ([Denis & Schiffermüller], 1775)	•	•
49.078	Acleris	aspersana (Hübner, 1817)	•	•
49.080	Acleris	hastiana (Linnaeus, 1758)	•	•
49.081	Acleris	permutana (Duponchel, 1836)	x	•
49.082	Acleris	hyemana (Haworth, 1811)	•	x
49.083	Acleris	ferrugana ([Denis & Schiffermüller], 1775)	•	•
		<i>fissurana</i> (Pierce & Metcalfe, 1915)		
49.084	Acleris	notana (Donovan, 1806)	•	*
		<i>tripunctana</i> (Hübner, 1799)		
49.085	Acleris	kochiella Goeze, 1783	•	•
		<i>ternatella</i> (Fourcroy, 1785)		
		<i>boscana</i> (Fabricius, 1794)		
49.086	Acleris	logiana (Clerck, 1759)	•	•

49.087	Acleris	literana (Linnaeus, 1758)	●	●
49.090	Eulia	ministrana (Linnaeus, 1758)	●	●
49.091	Pseudargyrotoza	conwagana (Fabricius, 1775)	●	●
49.092	Phtheochroa	inopiana (Haworth, 1811)	●	●
49.096	Hysterophora	maculosana (Haworth, 1811)	●	●
49.097	Cochylimorpha	straminea (Haworth, 1811)	●	●
49.099	Phalonidia	gilvicomana (Zeller, 1847)	x	○
49.100	Phalonidia	curvistrigana (Stainton, 1859)	●	●
49.101	Phalonidia	manniana (Fischer von Röslerstamm, 1839)	●	●
49.103	Phalonidia	affinitana (Douglas, 1846)	●	○
49.104	Gynnidomorpha	luridana (Gregson, 1870)	●	x
49.105	Gynnidomorpha	vectisana (Humphreys & Westwood, 1845)	●	●
49.107	Gynnidomorpha	permixtana ([Denis & Schiffermüller], 1775)	x	●
49.108	Gynnidomorpha	alismana (Ragonot, 1883)	●	●
49.109	Agapeta	hamana (Linnaeus, 1758)	●	●
49.110	Agapeta	zoegana (Linnaeus, 1767)	●	●
49.111	Eupoecilia	angustana angustana (Hübner, 1799)	●	●
49.116	Aethes	williana (Brahm, 1791)	●	x
49.120	Aethes	smeathmanniana (Fabricius, 1781)	●	●
49.121	Aethes	tesserana ([Denis & Schiffermüller], 1775)	●	●
49.123	Aethes	beatricella (Walsingham, 1898)	●	x
49.1231	Aethes	deaurana (Peyerimhoff, 1877)	●	x
49.124	Aethes	francillana (Fabricius, 1794)	●	x
49.125	Aethes	bilbaensis (Rössler, 1877)	x	●
49.127	Aethes	cnicana (Westwood, 1854)	●	●
49.128	Aethes	rubigana (Treitschke, 1830)	●	●
49.129	Cochylidia	rupicola (Curtis, 1834)	●	●
49.133	Thyralia	nana (Haworth, 1811)	●	●
49.134	Cochylis	roseana (Haworth, 1811)	●	○
49.136	Neocochyliis	hybridella (Hübner, 1813)	●	●
49.138	Neocochyliis	molliculana Zeller, 1847	●	x
49.139	Cochylichroa	atricapitana (Stephens, 1852)	●	●
49.140	Brevicornutia	pallidana Zeller, 1847	●	x
49.142	Falseuncaria	ruficiliana (Haworth, 1811)	○	○
		<i>ciliella</i> (Hübner, 1796)		
49.143	Eudemis	porphyrana (Hübner, 1799)	○	x
49.144	Eudemis	profundana ([Denis & Schiffermüller], 1775)	●	●
49.146	Apotomis	semifasciana (Haworth, 1811)	●	●
49.149	Apotomis	turbidana (Hübner, 1825)	●	●
49.150	Apotomis	betuletana (Haworth, 1811)	●	●
49.151	Apotomis	capreana (Hübner, 1817)	●	x
49.153	Apotomis	sauciana sauciana (Frölich, 1828)	●	●
49.154	Orthotaenia	undulana ([Denis & Schiffermüller], 1775)	●	●
49.155	Hedya	salicella (Linnaeus, 1758)	●	●
49.156	Hedya	nubiferana (Haworth, 1811)	●	●
		<i>variegana</i> (Hübner, 1796)		
49.157	Hedya	pruniana (Hübner, 1799)	●	●
49.158	Hedya	ochroleucana (Frölich, 1828)	●	●
49.161	Celypha	striana ([Denis & Schiffermüller], 1775)	●	●
49.162	Celypha	rosaceana (Schläger, 1847)	●	○
		<i>purpurana</i> (Haworth, 1811)		
49.163	Celypha	rurestrana (Duponchel, 1843)	x	●
49.164	Celypha	cespitana (Hübner, 1817)	●	●
49.166	Celypha	lacunana ([Denis & Schiffermüller], 1775)	●	●

49.167	Celypha	rivulana (Scopoli, 1763)	●	●
49.169	Celypha	aurofasciana (Haworth, 1811)	●	●
49.179	Olethreutes	arcuella (Clerck, 1759)	●	x
49.180	Piniphila	bifasciana (Haworth, 1811)	●	●
49.182	Lobesia	botrana ([Denis & Schiffermüller], 1775)	●	x
49.183	Lobesia	abscisana (Doubleday, 1849)	●	●
49.184	Lobesia	reliquana (Hübner, 1825)	●	●
49.185	Lobesia	littoralis (Humphreys & Westwood, 1845)	●	●
49.186	Endothenia	gentianaean (Hübner, 1799)	●	○
49.187	Endothenia	oblongana (Haworth, 1811)	●	x
49.188	Endothenia	marginana (Haworth, 1811)	●	●
		<i>sellana</i> (Frolich, 1829)		
49.190	Endothenia	ustulana (Haworth, 1811)	●	●
49.191	Endothenia	nigricostana (Haworth, 1811)	●	●
49.192	Endothenia	ericetana (Humphreys & Westwood, 1845)	●	○
49.193	Endothenia	quadrimaculana (Haworth, 1811)	●	●
49.194	Bactra	lancealana (Hübner, 1799)	●	●
49.195	Bactra	furfurana (Haworth, 1811)	●	●
49.196	Bactra	lacteana Caradja, 1916	●	x
49.197	Bactra	robustana (Christoph, 1872)	●	●
49.199	Eucosmomorpha	albersana (Hübner, 1813)	●	●
49.200	Enarmonia	formosana (Scopoli, 1763)	●	●
49.201	Ancylis	unguicella (Linnaeus, 1758)	●	○
49.202	Ancylis	uncella ([Denis & Schiffermüller], 1775)	x	○
49.203	Ancylis	laetana (Fabricius, 1775)	x	●
49.204	Ancylis	obtusana (Haworth, 1811)	●	x
49.205	Ancylis	comptana (Frölich, 1828)	●	x
49.206	Ancylis	upupana (Treitschke, 1835)	●	x
49.207	Ancylis	geminana (Donovan, 1806)	●	○
		<i>biarcuana</i> (Stephens, 1834)		
49.208	Ancylis	subarcuana (Douglas, 1847)	●	x
		<i>inornatana</i> (Herrich-Schäffer, 1851)		
49.209	Ancylis	diminutana (Haworth, 1811)	●	●
49.210	Ancylis	unculana (Haworth, 1811)	●	x
49.211	Ancylis	myrtillana (Treitschke, 1830)	●	x
49.212	Ancylis	apicella ([Denis & Schiffermüller], 1775)	○	x
49.214	Ancylis	badiana ([Denis & Schiffermüller], 1775)	●	●
49.215	Ancylis	achatana ([Denis & Schiffermüller], 1775)	●	●
49.216	Ancylis	mitterbacheriana ([Denis & Schiffermüller], 1775)	●	●
49.220	Rhopobota	myrtillana (Humphreys & Westwood, 1845)	●	x
49.221	Rhopobota	stagnana ([Denis & Schiffermüller], 1775)	●	x
49.223	Rhopobota	naevana (Hübner, 1817)	●	●
		<i>unipunctana</i> (Haworth, 1811)		
49.224	Spilonota	ocellana ([Denis & Schiffermüller], 1775)	●	●
49.225	Spilonota	laricana (Heinemann, 1863)	●	x
49.226	Acroclita	subsequana (Herrich-Schäffer, 1851)	●	x
49.228	Epinotia	sordidana (Hübner, 1824)	●	●
49.229	Epinotia	caprana (Fabricius, 1798)	●	●
49.230	Epinotia	trigonella (Linnaeus, 1758)	●	●
		<i>stroemiana</i> (Fabricius, 1781)		
49.231	Epinotia	brunnichana (Linnaeus, 1767)	●	●
49.233	Epinotia	solandriana (Linnaeus, 1758)	●	●
49.234	Epinotia	abbreviana (Fabricius, 1794)	●	●

		<i>trimaculana</i> (Donovan, 1806)		
49.237	Epinotia	signatana (Douglas, 1845)	●	●
49.238	Epinotia	cruciana (Linnaeus, 1761)	●	●
49.240	Epinotia	immundana (Fischer von Röslerstamm, 1839)	●	●
49.242	Epinotia	nanana (Treitschke, 1835)	●	●
49.243	Epinotia	demarniana (Fischer von Röslerstamm, 1839)	●	x
		<i>rhomboidella</i> Fourcroy, 1785		
49.244	Epinotia	subocellana (Donovan, 1806)	●	○
49.245	Epinotia	tetraquetrana (Haworth, 1811)	●	●
49.246	Epinotia	pygmaeana (Hübner, 1799)	●	x
49.247	Epinotia	subsequana (Haworth, 1811)	●	x
49.248	Epinotia	tenerana ([Denis & Schiffermüller], 1775)	●	●
49.249	Epinotia	ramella (Linnaeus, 1758)	●	●
49.251	Epinotia	rubiginosana (Herrich-Schäffer, 1851)	●	x
49.252	Epinotia	tedella (Clerck, 1759)	●	●
49.253	Epinotia	fraternana (Haworth, 1811)	●	●
49.254	Epinotia	bilunana (Haworth, 1811)	●	●
49.255	Epinotia	nisella (Clerck, 1759)	●	●
49.256	Epinotia	cinereana (Haworth, 1811)	x	●
49.257	Zeiraphera	griseana (Hübner, 1799)	●	●
		<i>diniana</i> (Guenée, 1854)		
49.258	Zeiraphera	rufimitrana (Herrich-Schäffer, 1851)	○	x
49.259	Zeiraphera	ratzeburgiana (Ratzeburgh, 1840)	●	●
49.260	Zeiraphera	isertana (Fabricius, 1794)	●	●
49.261	Crociosema	plebejana Zeller, 1847	●	●
49.263	Pelochrista	caecimaculana (Hübner, 1799)	●	x
49.264	Eucosma	obumbratana (Lienig & Zeller, 1846)	●	○
49.265	Eucosma	cana (Haworth, 1811)	●	●
49.266	Eucosma	hohenwartiana ([Denis & Schiffermüller], 1775)	●	●
49.267	Eucosma	fulvana (Stephens, 1834)	●	x
49.269	Eucosma	campoliliana ([Denis & Schiffermüller], 1775)	●	●
49.272	Eucosma	tripoliana (Barrett, 1880)	●	●
49.277	Eucosma	pupillana (Clerck, 1759)	○	○
49.279	Gypsonoma	dealbana (Frölich, 1828)	●	●
49.280	Gypsonoma	oppressana (Treitschke, 1835)	●	x
49.281	Gypsonoma	sociana (Haworth, 1811)	●	●
49.283	Gypsonoma	aceriana (Duponchel, 1843)	●	●
49.284	Epiblema	sticticana (Fabricius, 1794)	●	○
		<i>farfarae</i> (Fletcher, 1938)		
49.285	Epiblema	scutulana ([Denis & Schiffermüller], 1775)	●	●
49.286	Epiblema	cirsiana (Zeller, 1843)	●	●
49.287	Epiblema	cnicolana (Zeller, 1847)	●	x
49.288	Epiblema	foenella (Linnaeus, 1758)	●	●
49.289	Epiblema	costipunctana (Haworth, 1811)	●	●
49.290	Epiblema	turbidana (Treitschke, 1835)	●	○
49.292	Notocelia	cynosbatella (Linnaeus, 1758)	●	●
49.293	Notocelia	tetragonana (Stephens, 1834)	●	○
49.294	Notocelia	uddmanniana (Linnaeus, 1758)	●	●
49.295	Notocelia	roborana ([Denis & Schiffermüller], 1775)	●	●
49.296	Notocelia	incarnatana (Hübner, 1800)	x	○
49.297	Notocelia	rosaecolana (Doubleday, 1850)	●	●

49.298	Notocelia	trimaculana (Haworth, 1811)	●	●
49.299	Pseudococcyx	posticana (Zetterstedt, 1839)	●	x
49.300	Pseudococcyx	turionella (Linnaeus, 1758)	●	x
49.303	Clavigesta	sylvestrana (Curtis, 1850)	●	x
49.304	Clavigesta	purdeyi (Durrant, 1911)	●	●
49.305	Rhyacionia	buoliana ([Denis & Schiffermüller], 1775)	●	●
49.306	Rhyacionia	pinicolana (Doubleday, 1849)	●	x
49.307	Rhyacionia	pinivorana (Lienig & Zeller, 1846)	●	●
49.309	Dichrorampha	plumbana (Scopoli, 1763)	●	●
49.310	Dichrorampha	sedatana Busck, 1906	●	●
49.311	Dichrorampha	aeratana (Pierce & Metcalfe, 1915)	●	●
49.313	Dichrorampha	acuminatana (Lienig & Zeller, 1846)	●	●
49.314	Dichrorampha	sylvicolana Heinemann, 1863	●	x
49.315	Dichrorampha	simpliciana (Haworth, 1811)	●	●
49.316	Dichrorampha	sequana (Hübner, 1799)	●	x
49.317	Dichrorampha	senectana Guenée, 1845	●	x
49.318	Dichrorampha	vancouverana McDunnough, 1935 <i>gueneana</i> Obraztsov, 1953	●	●
49.319	Dichrorampha	flavidorsana Knaggs, 1867	●	●
49.320	Dichrorampha	alpinana (Treitschke, 1830)	●	●
49.321	Dichrorampha	petiverella (Linnaeus, 1758)	●	●
49.322	Dichrorampha	plumbagana (Treitschke, 1830)	●	○
49.324	Cydia	nigricana (Fabricius, 1794) <i>rusticella</i> (Clerck, 1759)	●	●
49.325	Cydia	ulicetana (Haworth, 1811) <i>succedana</i> auctorum	●	●
49.327	Cydia	microgrammana (Guenée, 1845)	●	x
49.329	Cydia	illutana (Herrich-Schäffer, 1851)	●	x
49.332	Cydia	coniferana (Ratzeburg, 1840)	●	x
49.334	Cydia	cosmophorana (Treitschke, 1835)	●	x
49.335	Cydia	strobilella (Linnaeus, 1758)	●	x
49.338	Cydia	pomonella (Linnaeus, 1758)	●	●
49.339	Cydia	servillana (Duponchel, 1836)	●	x
49.341	Cydia	splendana (Hübner, 1799)	●	●
49.342	Cydia	fagiglandana (Zeller, 1841) <i>grossana</i> (Haworth, 1811)	●	●
49.343	Cydia	amplana (Hübner, 1799)	●	●
49.3431	Thaumatotibia	leucotreta (Meyrick, 1913)	●	x
49.345	Lathronympha	strigana (Fabricius, 1775)	●	●
49.346	Selania	leplastriana (Curtis, 1831)	●	x
49.347	Grapholita	compositella (Fabricius, 1775)	●	●
49.352	Grapholita	orobana (Treitschke, 1830)	●	x
49.353	Grapholita	gemmiferana (Treitschke, 1835)	●	x
49.354	Grapholita	jungella (Clerck, 1759)	●	●
49.3541	Grapholita	molesta (Busck, 1916)	●	x
49.356	Grapholita	lobarzewskii (Nowicki, 1860) <i>prunivorana</i> (Ragonot, 1879)	●	x
49.357	Grapholita	funebrana (Treitschke, 1835)	●	●
49.358	Grapholita	tenebrosana (Duponchel, 1843)	●	x
49.359	Grapholita	janthinana (Duponchel, 1835)	●	●
49.360	Pammene	splendidulana (Guenée, 1845)	●	●
49.361	Pammene	ignorata Kuznetsov, 1968	●	●
49.362	Pammene	giganteana (Peyerimhoff, 1863) <i>inquilina</i> Fletcher, 1938	●	x

49.363	Pammene	argyrana (Hübner, 1799)	●	●
49.365	Pammene	albuginana (Guenée, 1845)	●	●
49.366	Pammene	obscurana (Stephens, 1834)	●	x
49.367	Pammene	fasciana (Linnaeus, 1761)	●	●
49.368	Pammene	herrichiana (Heinemann, 1854)	●	x
49.371	Pammene	rhediella (Clerck, 1759)	●	●
49.372	Pammene	populana (Fabricius, 1787)	●	●
49.373	Pammene	spiniana (Duponchel, 1843)	●	x
49.375	Pammene	regiana (Zeller, 1849)	●	●
49.376	Pammene	aurita Razowski, 1991	●	●
		<i>aurantiana</i> (Staudinger, 1871) homonym		
49.377	Pammene	germmana (Hübner, 1799)	●	●
49.378	Pammene	ochsenheimeriana (Lienig & Zeller, 1846)	●	x
49.379	Pammene	aurana (Fabricius, 1775)	●	●
49.380	Pammene	gallicana (Guenée, 1845)	●	●
49.381	Strophedra	weirana (Douglas, 1850)	●	●
49.382	Strophedra	nitidana (Fabricius, 1794)	●	●
<b>PYRALIDAE</b>				
62.001	Aphomia	sociella (Linnaeus, 1758)	●	●
62.003	Paralipsa	gularis (Zeller, 1877)	●	x
62.005	Achroia	grisella (Fabricius, 1794)	●	●
62.006	Galleria	mellonella (Linnaeus, 1758)	●	●
62.007	Cryptoblabes	bistriga (Haworth, 1811)	●	●
62.0071	Cryptoblabes	gnidiella (Millière, 1867)	●	x
62.010	Elegia	similella (Zincken, 1818)	●	x
62.011	Ortholepis	betulae (Goeze, 1778)	●	*
62.012	Pyla	fusca (Haworth, 1811)	●	●
62.015	Delplanqueia	dilutella ([Denis & Schiffermüller], 1775)	●	●
		<i>diluta</i> (Haworth, 1811)		
62.021	Oncocera	semirubella (Scopoli, 1763)	●	●
62.022	Pempelia	genistella (Duponchel, 1863)	●	x
62.023	Pempelia	palumbella ([Denis & Schiffermüller], 1775)	●	●
62.024	Rhodophaea	formosa (Haworth, 1811)	●	●
62.025	Dioryctria	sylvestrella (Ratzeburg, 1840)	●	x
62.027	Dioryctria	simplicella Heinemann, 1863	●	●
		<i>mutatella</i> Fuchs, 1903		
62.028	Dioryctria	abietella ([Denis & Schiffermüller], 1775)	●	●
		<i>splendidella</i> auctorum		
62.029	Phycita	roborella ([Denis & Schiffermüller], 1775)	●	●
		<i>spissicella</i> (Fabricius, 1777)		
62.030	Hypochoalcia	ahenella ([Denis & Schiffermüller], 1775)	●	●
62.031	Epischnia	asteris Staudinger, 1870	●	x
62.032	Nephoterix	angustella (Hübner, 1796)	●	●
62.033	Acrobasis	tumidana ([Denis & Schiffermüller], 1775)	●	x
62.034	Acrobasis	repandana (Fabricius, 1798)	●	●
		<i>tumidella</i> (Zincken, 1818)		
62.035	Acrobasis	advenella (Zincken, 1818)	●	●
62.036	Acrobasis	suavella (Zincken, 1818)	●	●
62.037	Acrobasis	marmorea (Haworth, 1811)	●	●
62.038	Acrobasis	consociella (Hübner, 1813)	●	●
62.039	Apomyeloid	bistriatella ssp. subcognata (Ragonot, 1887)	●	●
62.040	Apomyeloid	ceratoniae (Zeller, 1839)	●	x
62.042	Myeloid	circumvoluta (Fourcroy, 1785)	●	●
		<i>cribrella</i> (Hübner, 1796)		

62.043	Gymnancyla	canella ([Denis & Schiffermüller], 1775)	●	x
62.047	Assara	terebrella (Zincken, 1818)	●	x
62.048	Euzophera	pinguis (Haworth, 1811)	●	●
62.049	Euzophera	bigella (Zeller, 1848)	●	x
62.050	Euzophera	cinerosella (Zeller, 1839)	○	x
62.053	Ancylosis	oblitella (Zeller, 1848)	●	●
62.054	Homoeosoma	sinuella (Fabricius, 1794)	●	●
62.055	Homoeosoma	nebulella ([Denis & Schiffermüller], 1775)	●	x
62.057	Phycitodes	maritima (Tengström, 1848) <i>carlinella</i> (Heinemann, 1865)	●	●
62.058	Phycitodes	binaevella (Hübner, 1813)	●	●
62.059	Phycitodes	saxicola (Vaughan, 1870)	●	●
62.062	Plodia	interpunctella (Hübner, 1813)	●	●
62.063	Ephestia	kuehniella Zeller, 1879	●	x
62.064	Ephestia	elutella (Hübner, 1796)	●	x
62.065	Ephestia	woodiella Richards & Thomson, 1932 <i>parasitella</i> sensu auctt. nec Staudinger, 1859 <i>unicolorella</i> sensu auctt. nec Staudinger, 1881	●	●
62.066	Cadra	figulilella (Gregson, 1871)	●	x
62.067	Cadra	cautella (Walker, 1863)	●	x
62.069	Anerastia	lotella (Hübner, 1813)	●	●
62.070	Synaphe	punctalis (Fabricius, 1775) <i>angustalis</i> ([Denis & Schiffermüller], 1775)	●	○
62.072	Pyralis	farinalis (Linnaeus, 1758)	●	●
62.073	Aglossa	caprealis (Hübner, 1809)	○	x
62.074	Aglossa	pinguinalis (Linnaeus, 1758)	●	●
62.075	Hypsopygia	costalis (Fabricius, 1775)	●	●
62.076	Hypsopygia	glauca (Linnaeus, 1758)	●	●
62.077	Endotricha	flammealis ([Denis & Schiffermüller], 1775)	●	●
<b>CRAMBIDAE</b>				
63.001	Paracorsia	repandalis ([Denis & Schiffermüller], 1775)	○	x
63.002	Loxostege	sticticalis (Linnaeus, 1761)	●	○
63.003	Pyrausta	cingulata (Linnaeus, 1758)	●	●
63.005	Pyrausta	despicata (Scopoli, 1763) <i>cespitalis</i> ([Denis & Schiffermüller], 1775)	●	●
63.006	Pyrausta	aurata (Scopoli, 1763)	●	●
63.007	Pyrausta	purpuralis (Linnaeus, 1758)	●	●
63.011	Uresiphita	gilvata (Fabricius, 1794) <i>polygonalis</i> auctorum <i>limbalis</i> auctorum	●	x
63.014	Sitochroa	palealis ([Denis & Schiffermüller], 1775)	●	●
63.015	Sitochroa	verticalis (Linnaeus, 1758)	●	x
63.016	Anania	fuscalis ([Denis & Schiffermüller], 1775)	●	●
63.017	Anania	lancealis ([Denis & Schiffermüller], 1775)	●	●
63.018	Anania	coronata (Hufnagel, 1767) <i>sambucalis</i> ([Denis & Schiffermüller], 1775)	●	●
63.019	Anania	stachydalis (Germar, 1822)	●	●
63.020	Anania	perlucidalis (Hübner, 1809) <i>lunatralis</i> ([Denis & Schiffermüller], 1775)	●	x
63.021	Anania	terrealis (Treitschke, 1829)	○	●
63.022	Anania	crocealis (Hübner, 1796)	●	●
63.023	Anania	verbascalis ([Denis & Schiffermüller], 1775)	●	x



63.024	Anania	funnebris (Ström, 1768)	○	x
63.025	Anania	hortulata (Linnaeus, 1758)	●	●
63.026	Sclerocona	acutellus (Eversmann, 1842)	●	●
63.027	Psammotis	pulveralis (Hübner, 1796)	●	x
63.028	Ostrinia	nubilalis (Hübner, 1796)	●	●
63.031	Udea	ferrugalis (Hübner, 1796) <i>martialis</i> (Guenée, 1854)	●	●
63.033	Udea	lutealis (Hübner, 1809)	●	●
63.034	Udea	prunalis ([Denis & Schiffermüller], 1775)	●	●
63.037	Udea	olivalis ([Denis & Schiffermüller], 1775)	●	●
63.038	Patania	ruralis (Scopoli, 1763)	●	●
63.039	Mecyna	flavalis ([Denis & Schiffermüller], 1775)	●	x
63.040	Mecyna	asinalis (Hübner, 1819)	●	●
63.041	Agrotera	nemorialis (Scopoli, 1763)	●	x
63.042	Diplopseustis	perieresalis (Walker, 1859)	●	●
63.043	Diasemia	reticularis (Linnaeus, 1761) <i>litterata</i> (Scopoli, 1763)	○	●
63.044	Diasemiopsis	ramburialis (Duponchel, 1834)	●	x
63.045	Maruca	vitratata (Fabricius, 1787)	●	x
63.046	Duponchelia	fovealis Zeller, 1847	●	●
63.047	Spoladea	recurvalis (Fabricius, 1775)	●	x
63.048	Palpita	vitrealis (Rossi, 1794) <i>unionalis</i> (Hübner, 1796)	●	●
63.0491	Diaphania	indica (Saunders, 1851) <i>hyalinata</i> auctorum <i>lucernalis</i> auctorum	●	x
63.050	Dolicharthria	punctalis ([Denis & Schiffermüller], 1775)	●	●
63.051	Antigastra	catalaunalis (Duponchel, 1833)	●	●
63.052	Nomophila	noctuella ([Denis & Schiffermüller], 1775)	●	●
63.054	Cydalima	perspectalis (Walker, 1859)	●	x
63.056	Cynaeda	dentalis ([Denis & Schiffermüller], 1775)	●	○
63.057	Evergestis	forficalis (Linnaeus, 1758)	●	●
63.058	Evergestis	extimalis (Scopoli, 1763)	●	○
63.059	Evergestis	limbata (Linnaeus, 1767)	●	x
63.060	Evergestis	pallidata (Hufnagel, 1767)	●	●
63.0605	Cornifrons	ulceratalis Lederer, 1858	●	x
63.061	Hellula	undalis (Fabricius, 1781)	●	x
63.062	Scoparia	subfusca Haworth, 1811 <i>cembrella</i> auctorum	●	●
63.063	Scoparia	basistrigalis Knaggs, 1866	●	x
63.064	Scoparia	ambigualis (Treitschke, 1829)	●	●
63.065	Scoparia	ancipitella (La Harpe, 1855) <i>ulmella</i> Knaggs, 1867	●	○
63.066	Scoparia	pyralella ([Denis & Schiffermüller], 1775) <i>arundinata</i> (Thunberg, 1792)	●	●
63.067	Eudonia	lacustrata (Panzer, 1804) <i>crataegella</i> auctorum	●	●
63.069	Eudonia	angustea (Curtis, 1827) <i>vafra</i> (Meyrick, 1913)	●	●
63.071	Eudonia	lineola (Curtis, 1827)	●	●
63.072	Eudonia	delunella (Stainton, 1849) <i>resinea</i> (Haworth, 1811) <i>resinella</i> auctorum	●	●
63.073	Eudonia	truncicolella (Stainton, 1849)	●	●

63.074	Eudonia	mercurella (Linnaeus, 1758) <i>frequentella</i> (Stainton, 1849)	●	●
63.075	Eudonia	pallida (Curtis, 1827)	●	●
63.076	Euchromius	ocellea (Haworth, 1811)	●	●
63.079	Calamotropha	paludella (Hübner, 1824)	●	●
63.080	Chrysoteuchia	culmella (Linnaeus, 1758) <i>hortuella</i> (Hübner, 1796)	●	●
63.081	Crambus	pascuella (Linnaeus, 1758)	●	●
63.082	Crambus	silvella (Hübner, 1813)	●	x
63.083	Crambus	uliginosellus Zeller, 1850	●	●
63.086	Crambus	lathoniellus (Zincken, 1817) <i>nemorella</i> (Hübner, 1813)	●	●
63.087	Crambus	hamella (Thunberg 1788)	●	x
63.088	Crambus	perlella (Scopoli, 1763)	●	●
63.0881	Crambus	leucoschalis Hampson, 1898	○	x
63.089	Agriphila	tristella ([Denis & Schiffermüller], 1775)	●	●
63.090	Agriphila	inquinatella ([Denis & Schiffermüller], 1775)	●	●
63.091	Agriphila	latistria (Haworth, 1811)	●	●
63.092	Agriphila	selasella (Hübner, 1813)	●	●
63.093	Agriphila	straminella ([Denis & Schiffermüller], 1775) <i>culmella</i> auctorum	●	●
63.095	Agriphila	geniculea (Haworth, 1811)	●	●
63.099	Catoptria	pinella (Linnaeus, 1758)	●	●
63.100	Catoptria	margaritella ([Denis & Schiffermüller], 1775)	●	●
63.102	Catoptria	falsella ([Denis & Schiffermüller], 1775)	●	●
63.103	Catoptria	verellus (Zincken, 1817)	●	x
63.108	Pediasia	fascelinella (Hübner, 1813)	○	x
63.109	Pediasia	contaminella (Hübner, 1796)	●	x
63.110	Pediasia	aridella (Thunberg, 1788) <i>salinellus</i> (Tutt, 1887)	●	●
63.111	Platytes	cerussella ([Denis & Schiffermüller], 1775)	●	●
63.112	Platytes	alpinella (Hübner, 1813)	●	x
63.114	Elophila	nymphaeata (Linnaeus, 1758)	●	●
63.115	Acentria	ephemerella ([Denis & Schiffermüller], 1775) <i>nivea</i> (Olivier, 1791)	●	●
63.116	Cataclysta	lemnata (Linnaeus, 1758)	●	●
63.117	Parapoynx	stratitota (Linnaeus, 1758)	●	●
63.1171	Parapoynx	diminutalis (Snellen, 1880)	●	x
63.1176	Parapoynx	polydectalis Walker, 1859	●	x
63.118	Nymphula	nitidulata (Hufnagel, 1767) <i>stagnata</i> (Donovan, 1806)	●	●
63.121	Donacaula	forficella (Thunberg, 1794)	●	●
63.122	Donacaula	mucronella ([Denis & Schiffermüller], 1775)	*	x